PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6:
A61K 39/395, C12Q 1/68, G01N 33/53, C12P 21/04, C12N 15/63, 15/85, 15/11, C07H 21/04

(11) International Publication Number:

WO 99/62547

(43) International Publication Date:

9 December 1999 (09.12.99)

(21) International Application Number:

PCT/US98/11348

A1

(22) International Filing Date:

3 June 1998 (03.06.98)

(71) Applicant (for all designated States except US): THE REGENTS OF THE UNIVERSITY OF CALIFORNIA [US/US]; 12th floor, 1111 Franklin Street, Oakland, CA 94607-5200 (US).

(72) Inventors; and

- (75) Inventors/Applicants (for US only): ROME, Leonard, H. [US/US]; 18141 Rancho Street, Tarzana, CA 91356 (US). KICKHOEFER, Valerie, A. [US/US]; 3918 Scadlock Lane, Sherman Oaks, CA 92354 (US).
- (74) Agents: FARAH, David, A. et al.; Sheldon & Mak, 9th floor, 225 S. Lake Avenue, Pasadena, CA 91101 (US).

(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GW, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).

Published

With international search report.

(54) Title: HUMAN MINOR VAULT PROTEIN p193

(57) Abstract

Purified human minor vault protein p193 or purified biologically active variants thereof, or a combination of purified human minor vault protein p193 and biologically active variants thereof are disclosed. A polynucleotide molecule encoding human minor vault protein p193, or the complementary DNA is also disclosed. Furthermore, a method of diagnosing and a method of treating patients with multidrug resistant cancer is provided.

BEST AVAILABLE COF.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL AM AT AU AZ BA BB BE BF BG CF CG CH CN CU CZ DE DK EE	Albania Armenia Austria Austria Australia Azerbaijan Bosnia and Herzegovina Barbados Belgium Burkina Faso Bulgaria Benin Brazil Belarus Canada Central African Republic Congo Switzerland Côte d'Ivoire Cameroon China Cuba Czech Republic Germany Denmark Estonia	ES FI FR GA GB GC GN GR HU IE IL IS IT JP KC KC LC LL LK LR	Spain Finland France Gabon United Kingdom Georgia Ghana Guinea Greece Hungary Ireland Israel Iceland Italy Japan Kenya Kyrgyzstan Democratic People's Republic of Korea Republic of Korea Kazakstan Saint Lucia Liechtenstein Sri Lanka Liberia	LS LT LU LV MC MD MG MK MN MN MN NE NL NO NZ PL RO RU SD SE SG	Lesotho Lithuania Luxembourg Larvia Monaco Republic of Moldova Madagascar The former Yugoslav Republic of Macedonia Mali Mongolia Mauritania Malawi Mexico Niger Netherlands Norway New Zealand Poland Portugal Romania Russian Federation Sudan Sweden Singapore	SI SK SN SZ TD TG TJ TM TR TT UA UG US VN YU ZW	Slovenia Slovakia Senegal Swaziland Chad Togo Tajikistan Turkmenistan Turkey Trimidad and Tobago Ukraine Uganda United States of America Uzbekistan Viet Nam Yugoslavia Zimbabwe
EE	Estonia			SE SG	Sweden Singapore		

WO 99/62547 PCT/US98/11348

HUMAN MINOR VAULT PROTEIN p193

STATEMENT REGARDING FEDERALLY SPONSORED RESEARCH OR DEVELOPMENT

The present invention was made with government support under Grant No. GM 38097, awarded by the National Institutes of Health. The United States Government has certain rights in this invention.

BACKGROUND

Cancer is a major cause of morbidity and mortality in the United States.

Treatment of cancer generally includes chemotherapy, radiation therapy and surgery.

Unfortunately, most cancers cannot be cured using chemotherapy because tumor cells tend to develop resistance to several chemotherapeutic agents over time. These cancers are referred to as "multidrug-resistant cancers" (MDR).

Overexpression of a number of proteins has been found to be associated with MDR cells lines, including P-glycoprotein (Pgp) and multidrug resistance-associated protein (MRP). These proteins appear to mediate drug resistance by acting as cytotoxic drug efflux pumps. However, many MDR cancer cell lines are known which are not associated with overexpression of either P-glycoprotein or multidrug resistance-associated protein.

More recently, a protein has been described that is overexpressed in MDR tumor cell lines which do not overexpress either P-glycoprotein or multidrug resistance-associated protein. This protein was originally named Lung Resistance-related Protein (LRP), referring to the cell line in which it was originally identified. However, once the cDNA for Lung Resistance-related Protein was isolated and the corresponding protein sequence elucidated, it was found that Lung Resistance-related Protein was human major vault protein, a previously known protein.

Vaults are large, barrel-shaped, multi-subunit, cytoplasmic, ribonucleoprotein organelles found in virtually all higher organisms and in most normal tissues. Mammalian vaults consist of three proteins having molecular weights of approximately 210, 193 and 104, and a small RNA in the relative molar ratios of 1:1:24:4 in rats. The most abundant of these, the 104 kDa protein, is termed major vault protein (MVP) and corresponds to the Lung Resistance-related Protein. The minor vault protein p193, however, has not yet been

5

10

15

20

characterized.

Therefore, there remains a need for chemotherapeutic agents that will target multidrug-resistant cancers. Further, there remains a need to characterize the minor vault protein p193.

5

10

SUMMARY

According to one embodiment of the present invention, there is provided a protein consisting essentially of purified human minor vault protein p193 or purified biologically active variants thereof, or a combination of purified human minor vault protein p193 and biologically active variants thereof. The protein can be recombinant and can have an amino acid sequence of greater than about 50% identity of the amino acid sequence as set forth in Figure 2, SEQ ID NO:2. Further, the protein can be a protein recognized by a monoclonal antibody having affinity to any of these proteins.

According to another embodiment of the present invention, there is provided a polynucleotide molecule encoding a protein according to the present invention or its complementary strands, or a polynucleotide molecule which hybridizes to a polynucleotide sequence encoding a protein according to the present invention or its complementary strands. The molecule can be RNA or DNA, or can be another polynucleotide molecule.

According to another embodiment of the present invention, there is provided a vector containing a polynucleotide molecule according to the present invention or a prokaryotic or eukaryotic host cell stably transformed or transfected by the vector.

20

15

According to another embodiment of the present invention, there is provided a high affinity monoclonal antibody which immunoreacts with a protein according to the present invention. The antibody can have an Fc portion selected from the group consisting of the IgM class, the IgG class and the IgA class.

25

30

According to another embodiment of the present invention, there is provided a method of making a monoclonal antibody which immunoreacts with human minor vault protein p193 comprising the steps of, first, administering human minor vault protein p193 to a host in an amount sufficient to induce the production of antibodies to the human minor vault protein p193 from the antibody-producing cells. Then, the antibody-producing cells are recovered from the host. Next, cell hybrids are formed by fusing the antibody-producing cell to cells capable of substantially unlimited reproduction. Then, the hybrids are cultured.

Further, the monoclonal antibodies are collected as a product of the hybrids. The cells capable of substantially unlimited reproduction can be myeloma cells.

According to another embodiment of the present invention, there is provided a method of making a protein according to the present invention comprising the steps of, first, culturing a microorganism transformed with a polynucleotide encoding human minor vault protein p193. Then, the human minor vault protein p193 is recovered.

According to another embodiment of the present invention, there is provided a method of diagnosing a patient with a multidrug-resistant cancer comprising the steps of, first, providing a sample of tissue or fluid from the patient. Then, the level of a substance selected from the group consisting of p193 protein, p193 DNA, p193 mRNA, a substantial portion of p193 protein, a substantial portion of p193 DNA, a substantial portion of p193 mRNA and a combination of one of the foregoing in the patient sample is determined. Next, the level of the substance is compared to a known range of levels for the substance in patients with multidrug-resistant cancers. A diagnosis of multidrug-resistant cancer is made when the level of the substance determined is within the range of levels for the substance in patients with multidrug-resistant cancers. The sample can be selected from the group consisting of bone marrow, cerebral spinal fluid, blood, tears, saliva and a biopsy specimen.

According to another embodiment of the present invention, there is provided a method of treating a patient with multidrug-resistant cancer comprising the steps of, first, diagnosing a patient with multidrug-resistant cancer according to the present invention, and then treating the patient. The treatment can comprise administering to the patient antibodies having an affinity for a substance selected from the group consisting of p193 protein and a polynucleotide encoding p193. The treatment can also comprise administering to the patient at least one antisense polynucleotide having an affinity for a polynucleotide encoding p193. The treatment can further comprise administering to the patient at least one drug that blocks NAD, such as PD128763 and 3-aminobenzamide.

FIGURES

These and other features, aspects and advantages of the present invention will become better understood with regard to the following description, appended claims, and accompanying figures where:

Figure 1 shows the complete sequence of cDNA encoding human minor vault

5

10

15

20

25

5

10

15

20

25

protein p193, top strand, and its complementary strand; and

Figure 2 shows the complete amino acid sequence of human minor vault protein p193 indicating specific regions of function.

DESCRIPTION

The present invention involves the elucidation of the amino acid sequence for human vault protein p193, as well as the DNA sequence encoding human vault protein p193. These sequences are then utilized in methods of diagnosing multidrug resistance cancer and in methods of treating multidrug resistance cancer.

(1) Elucidation of the Human Minor Vault Protein p193 Amino Acid Sequence and the Nucleotide Sequence Encoding Human Minor Vault Protein p193:

The human minor vault protein p193 amino acid sequence and the nucleotide sequence encoding human minor vault protein p193 were elucidated as follows. First, human vault protein p193 was cloned using an interaction trap, two-hybrid system according to techniques known to those with skill in the art. See, for example, Golemis, et al., Current Protocols in Mol. Biol. 20.1.1-20.35 John Willey & Sons, 1997, incorporated by reference in its entirety. In summary, rat major vault protein, GenBank accession number U09870, having the 67 amino acids at the amino-terminal truncated was used as bait against a HeLa acid fusion cDNA library obtained from Roger Brent, Boston, MA, USA to search for proteins that interacted with rat major vault protein. The interacting proteins were identified by their ability to give rise to blue colonies on media containing galactose and X-gal, a color indicator substrate. The specificity of the interaction between the identified proteins and the rat major vault protein was verified by retransformation of the identified proteins with specific, rat major vault protein and nonspecific (lexA-bicoid) bait cDNAs. This technique identified the cDNA encoding the 193 kDa minor vault protein, SEQ ID NO:1, by its interaction with the rat major vault protein.

Referring now to Figure 1, there is shown the complete sequence of cDNA encoding human minor vault protein p193, top strand, SEQ ID NO:1, and its complementary strand. As can be seen, the DNA encoding human minor vault protein p193 contains 5490 base pairs. The open reading frame is from residue 107 to residue 5281.

The cDNA encoding human minor vault protein p193 was then used to deduce the amino acid sequence of the human minor vault protein p193, SEQ ID NO:2. Further,

WO 99/62547 PCT/US98/11348

5

human minor vault protein p193 was purified from vaults by electrophoresis on 5% SDS-polyacrylamide gels. The gels were stained with copper (BioRad Laboratories, Hercules, CA, USA) and the identified band was excised and destained, and the amino acids sequenced according to standard techniques using a Finnigan TSQ-7000 Triple Quadrupole Mass Spectrometer. This sequence is the same as SEQ ID NO:2.

Referring now to Figure 2, there is shown the complete amino acid sequence of human minor vault protein p193, SEQ ID NO:2. As can be seen, the sequence includes 1724 amino acid residues.

A search of the National Center for Biotechnology databases was performed to determine if either SEQ ID NO:1 or SEQ ID NO:2 were previously known. The search revealed a previously known nucleotide sequence, GenBank accession number D79999, having 5085 nucleotides which were identical to residues 384-5469 of SEQ ID NO:1. GenBank accession number D79999 did not, however, include residues 107-383 of SEQ ID NO:1 which constitutes part of the open reading frame.

The search further revealed that residues 209-563 of SEQ ID NO:2 share 28% identity to residues 609-1004, the catalytic subunit of poly (ADP-ribose) polymerase, GenBank accession number M32721, but did not otherwise reveal a homologous sequence. This catalytic subunit binds to NAD, hydrolyzes the nicotine moiety and polymerizes the ADP ribose group.

Analysis of SEQ ID NO:2 using the PROSITE protein database also revealed that residues 1-94 of SEQ ID NO:2 comprise a BRCT domain. BRCT domains refer to the C-terminus of the cancer susceptibility gene BRCA 1, and are a superfamily of conserved domains in DNA damage-response cell cycle checkpoint proteins. See, for example, Bork, et al., The Faseb J. 11:68-76, 1997; and Callebaut, I. and Mornon, J-P., FEBS Letter 400:25-30, 1997, incorporated by reference in their entirety.

Referring again to Figure 2, residues 1-94 of human minor vault protein p193, which comprise the BRCT domain, are indicated by the unshaded box. Residues 209-563 of human minor vault protein p193, which share 28% identity to the catalytic subunit of poly (ADP-ribose) polymerase are shown in the upper shaded box. Finally, residues 1562-1724 of human minor vault protein p193, which comprise the region necessary for interaction with human major vault protein, are shown in the lower shaded box.

5

10

15

20

25

5

10

15

20

(2) Generation of Antibodies to Human Minor Vault Protein p193:

Antibodies which immunoreact with human minor vault protein p193 were produced as follows. First, fragments of human minor vault protein p193 were generated using PCR techniques. The fragments consisted of residues 408-611 and residues 1471-1724 of SEQ ID NO:2. Next, fusion proteins were generated and both polyclonal and monoclonal antibodies were produced. These antibodies recognized human minor vault protein p193 in western blots, by immunofluorescence microscopy and by immunoprecipitation.

(3) Description of Certain Embodiments of the Present Invention:

Therefore, according to the present invention, there is provided a protein consisting essentially of purified human minor vault protein p193, SEQ ID NO:2. The protein can also consist of purified biologically active variants of human minor vault protein p193 or a combination of purified human minor vault protein p193, SEQ ID NO:2, and biologically active variants of human minor vault protein p193. In a preferred embodiment, the protein is a recombinant protein. Further, the present invention includes a protein having an amino acid sequence of greater than about 50% identity of the amino acid sequence as set forth in SEQ ID NO:2, as well as a protein recognized by a monoclonal or polyclonal antibody having affinity to a protein according to the present invention.

The protein according to the present invention can be made according to techniques known to those with skill in the art, for example, by first culturing a microorganism transformed with a polynucleotide encoding human minor vault protein p193. Then, the human minor vault protein p193 is recovered from the microorganism.

The present invention also includes a polynucleotide molecule encoding a protein which consists essentially of human minor vault protein p193, SEQ ID NO:2, or biologically active variants of human minor vault protein p193 or a combination of purified human minor vault protein p193, SEQ ID NO:2, and biologically active variants of human minor vault protein p193, such as residues 107 to residue 5281of SEQ ID NO:1, and includes the complementary strands to these polynucleotides and a polynucleotide molecule which hybridizes to any of the foregoing polynucleotides. The polynucleotide can be an RNA molecule or a DNA molecule, as well as other polynucleotide molecules.

According to another embodiment of the present invention, there is provided a vector containing a polynucleotide according to the present invention. The vector, such as

30

7

PET 28 (available from Invitrogen, Carlsbad, CA, USA), pGEX and pSVL (both available from Amersham Pharmacia Biotech, Piscataway, NJ, USA), can be used to stably transform or transfect a prokaryotic or eukaryotic host cell.

The present invention further includes an antibody which immunoreacts with a protein or polynucleotide according to the present invention. The Fc portion of the antibody can be selected from the group consisting of the IgM class, the IgG class and the IgA class, but can also be other classes. Preferably, the antibody is a high affinity monoclonal antibody which immunoreacts with human minor vault protein p193.

The antibody can be made, for example, by administering human minor vault protein p193 to a host in an amount sufficient to induce the production of antibodies to the human minor vault protein p193 from the antibody-producing cells. Next, the antibody-producing cells are recovered from the host and cell hybrids are formed by fusing the antibody-producing cell to cells capable of substantially unlimited reproduction. Then, the hybrids are cultured and the monoclonal antibodies are collected as a product of the hybrids. Preferably, the cells capable of substantially unlimited reproduction are myeloma cells.

EXAMPLE I

METHOD OF DIAGNOSING A PATIENT WITH A MULTIDRUG-RESISTANT CANCER

According to one embodiment of the present invention, a patient with a multidrug-resistant cancer is diagnosed by, first, providing a sample of tissue or fluid from the patient. The sample can be bone marrow, cerebral spinal fluid, blood, tears, saliva or a biopsy specimen, or can be other suitable tissue or fluid samples. Next, the level of a substance selected from the group consisting of p193 protein, p193 DNA, p193 mRNA, a substantial portion of p193 protein, a substantial portion of p193 DNA, a substantial portion of p193 mRNA and a combination of one of the foregoing in the patient sample is determined. In a preferred embodiment, the substantial portion comprises at least about 25% of the residues of the molecule. In a particularly preferred embodiment, the substantial portion comprises at least about 50% of the residues of the molecule. Then, the level of the substance is compared to a known range of levels for the substance in patients with multidrug-resistant cancers. A diagnosis of multidrug-resistant cancer is made when the level of the substance determined is within the range of levels for the substance in patients

5

10

15

20

25

with multidrug-resistant cancers.

EXAMPLE II

METHOD OF TREATING A PATIENT WITH MULTIDRUG-RESISTANT CANCER

According to another embodiment of the present invention, a patient with a multidrug-resistant cancer is treated by disrupting the production or function of human minor vault protein p193. This is accomplished by, for example, administering to the patient antibodies having an affinity for a substance selected from the group consisting of p193 protein and a polynucleotide encoding p193. Treatment can also be accomplished by administering to the patient at least one antisense polynucleotide having an affinity for a polynucleotide encoding p193. Further, treatment can be accomplished by administering to the patient at least one drug that blocks NAD, such as PD128763 and 3-aminobenzamide.

Although the present invention has been discussed in considerable detail with reference to certain preferred embodiments, other embodiments are possible. Therefore, the spirit and scope of the appended claims should not be limited to the description of preferred embodiments contained in this application.

15

10

5

MEDOCID: -WO 996254741 | ->

SEQUENCE LISTING

(1)	GENERAL INFORMATION:
	(i) APPLICANT: Rome, Leonard H.
	Kickhoefer, Valerie A.
	(ii) TITLE OF INVENTION: HUMAN MINOR VAULT PROTEIN p193
	(iii) NUMBER OF SEQUENCES: 2
	(iv) CORRESPONDENCE ADDRESS:
	(A) ADDRESSEE: Sheldon & Mak
	(B) STREET: 225 S. Lake Avenue, 9th Floor
	(C) CITY: Pasadena
	(D) STATE: California
	(E) ZIP: 91101
	(v) COMPUTER READABLE FORM:
	(A) MEDIUM TYPE: Diskette, 3.50 inch, 1.44 Mb storage
	(B) COMPUTER: IBM compatible
	(C) OPERATING SYSTEM: Windows 95
	(D) SOFTWARE: WordPerfect for Windows version 8.0 (vi) CURRENT APPLICATION DATA:
	(A) APPLICATION NUMBER: to be assigned
	(B) FILING DATE: filed herewith
	(C) CLASSIFICATION: to be assigned
	(viii) ATTORNEY/AGENT INFORMATION:
	(A) NAME: Farah, David A.
	(B) REGISTRATION NUMBER: 38,134
	(C) REFERENCE/DOCKET NUMBER: 12401PCT
	(ix) TELECOMMUNICATION INFORMATION:
	(A) TELEPHONE: (626) 796-4000
4-3	(B) TELEFAX: (626) 795-6321
(2)	INFORMATION FOR SEQ ID NO:1:
	(i) SEQUENCE CHARACTERISTICS:
	(A) LENGTH: 5490 base pairs
	(B) TYPE: nucleic acid
	(C) STRANDEDNESS: double stranded
	(D) TOPOLOGY: linear
	(ii) MOLECULE TYPE: cDNA
	(ix) SEQUENCE DESCRIPTION: SEQ ID NO:1:
CGCCCG	CCCA GCCCCGGGGG CAGGGAAAGC CTAAATTACG GAATTACCGC GAGCAAGGAG 6
CGCGGA	ATCG GGGAGCGTCC GGAGCTAGCT GGATCCTCTA GGCAGG ATG GTG ATG 11
	Met Val Met
	1
GGA AT	C TTT GCA AAT TGT ATC TTC TGT TTG AAA GTG AAG TAC TTA CCT 16
	e Phe Ala Asn Cys Ile Phe Cys Leu Lys Val Lys Tyr Leu Pro
. •	5 10 15
	- **
CAG CA	G CAG AAG AAA AAG CTA CAA ACT GAC ATT AAG GAA AAT GGC GGA 21
	n Gln Lys Lys Leu Gln Thr Asp Ile Lys Glu Asn Gly Gly
20	or the bys bys bed offi fift Asp fife bys oft Ash Gry Gry

ΑZ	AG T	IT T	CC	TTT	TC	G TI	'A A	T CO	דר כז	л 2	GC.	א רי א	Cal	m 20				GAT	
ĽΣ	/s Pl	ne S	er	Phe	Ser 40	r Tie	u As	n Pi	0 G]	ln C	ys 45	Thr	Hi:	r Al s Il	A A	rc Le	TTA Leu 50	Asp	259
			J.P	55	Det	ı se	I GI	п ту	r GI	n Le	eu A	Asn	Se	r Il	e G1	n :	Lys	AAC Asn	
CA Hi	C GI s Va		AT ; is] 70	ATT []e	GCA Ala	A AA 1 As	C CC n Pr	A GA O As 7	p Ph	T AT	ra 7	rgg Frp	AAZ Lys	A TC S Se 8	r Il	e i	AGA Arg	GAA Glu	355
-,	8	5	-u <u>.</u>	,cu	Asp	va.	9:	s As: O	T TA	r As	p F	ro	Туг 95	Ly	s Pr	0 I	Leu	Asp	403
10	0				110	105	2 611	т гуу	G GCG	a Se	r S	er 10	Ser	Glı	ı Va	1 1	ys	Thr 115	451
		,		, 5	120	wel	sei	AL	C ACA	12	uG 5	lu	Glu	Asp	Thi	r V 1	al 30	Glu	499
		. 01	1:	35	GIY	met	GIN	. Asr	GTT Val	Gli	u I	le	Phe	His	Let 145	ı P	ro	Gln	547
		15	0	** *	на	пув	TYL	155		Let	2 G	lu :	Lys	Val 160	Gly	M	et	Glu	595
2	165	01.		u	11 a	vai	170	vaı	GAG Glu	Let	ı G]	ln (Cys 175	Ser	Arg	As	sp :	Ser	643
180		- 7.	,	.0 F	ne	185	тте	ser	TCA Ser	His	19	e I	Leu	Leu	Asp	As	g q	31y 195	691
			- 71	2	00	GIII	Pne	Ala	ATA Ile	Lys 205	Ly	's I	hr	Ser	Glu	As 21	p 1 .0	la	739
AGT Ser	GAA Glu	TAC	Ph 21:	c G	AA i	AAT Asn	TAC Tyr	ATT Ile	GAA Glu 220	GAA Glu	CT Le	G A u L	AG .	AAA Lys	CAA Gln 225	GG Gl	A I	TT he	787
CTA Leu	CTA Leu	AGA Arg 230	GA:	A C	AT 1	rrc Phe	ACA Thr	CCT Pro 235	GAA Glu	GCA Ala	AC Th	C C	ln 1	TTA Leu 240	GCA Ala	TC Se	T G r G	AA lu	835
CAA Gln	TTG Leu 245	CAA Gln	GCA Ala	A T	rg c eu I	Jeu	TTG Leu 250	GAG Glu	GAA Glu	GTC Val	AT(t A	AT 7 sn 8	rca Ser	AGC Ser	AC Th:	T C	TG eu	883

											Trp				CTG Leu 275	•	931
		CTG Leu															979
		GTG Val													GCA Ala		1027
	Lys	AAT Asn 310															1075
		AGA Arg															1123
		CTA Leu															1171
		AAT Asn															1219
		AAA Lys															1267
		GAA Glu 390															1315
		AAG Lys															1363
		GAA Glu															1411
		CAT His															1459
GGG Gly	TTG Leu	CTT Leu	TTA Leu 455	CCC Pro	AAA Lys	GTA Val	GTG Val	GAA Glu 460	GAT Asp	CGT Arg	GGT Gly	GTG Val	CAA Gln 465	AGA Arg	ACA Thr		1507
		GGA Gly 470															1555

ACA AGT ATC AAG TAC TCA CAC CCG GGA GAG ACA GAT GGC ACC AGA CT Thr Ser Ile Lys Tyr Ser His Pro Gly Glu Thr Asp Gly Thr Arg Let 485 490 495	u
CTG CTC ATT TGT GAC GTA GCC CTC GGA AAG TGT ATG GAC TTA CAT GAC Leu Leu Ile Cys Asp Val Ala Leu Gly Lys Cys Met Asp Leu His Glu 500 505 510	1
AAG GAC TTT CCC TTA ACT GAA GCA CCA CCA GGC TAC GAC AGT GTG CAT Lys Asp Phe Pro Leu Thr Glu Ala Pro Pro Gly Tyr Asp Ser Val His 520 525 530	•
GGA GTT TCA CAA ACA GCC TCT GTC ACC ACA GAC TTT GAG GAT GAA Gly Val Ser Gln Thr Ala Ser Val Thr Thr Asp Phe Glu Asp Asp Glu 535 540 545	
TTT GTT GTC TAT AAA ACC AAT CAG GTT AAA ATG AAA TAT ATT AAA Phe Val Val Tyr Lys Thr Asn Gln Val Lys Met Lys Tyr Ile Ile Lys 550 555	1795
TTT TCC ATG CCT GGA GAT CAG ATA AAG GAC TTT CAT CCT AGT GAT CAT Phe Ser Met Pro Gly Asp Gln Ile Lys Asp Phe His Pro Ser Asp His 565 570 575	1843
ACT GAA TTA GAG GAA TAC AGA CCT GAG TTT TCA AAT TTT TCA AAG GTT Thr Glu Leu Glu Glu Tyr Arg Pro Glu Phe Ser Asn Phe Ser Lys Val 580 585 590 595	1891
GAA GAT TAC CAG TTA CCA GAT GCC AAA ACT TCC AGC AGC ACC AAG GCC Glu Asp Tyr Gln Leu Pro Asp Ala Lys Thr Ser Ser Ser Thr Lys Ala 600 605 610	1939
GGC CTC CAG GAT GCC TCT GGG AAC TTG GTT CCT CTG GAG GAT GTC CAC Gly Leu Gln Asp Ala Ser Gly Asn Leu Val Pro Leu Glu Asp Val His 625	1987
ATC AAA GGG AGA ATC ATA GAC ACT GTA GCC CAG GTC ATT GTT TTT CAG Ile Lys Gly Arg Ile Ile Asp Thr Val Ala Gln Val Ile Val Phe Gln 630 635 640	2035
ACA TAC ACA AAT AAA AGT CAC GTG CCC ATT GAG GCA AAA TAT ATC TTT Thr Tyr Thr Asn Lys Ser His Val Pro Ile Glu Ala Lys Tyr Ile Phe 645 650 655	2083
CCT TTG GAT GAC AAG GCC GCT GTG TGT GGC TTC GAA GCC TTC ATC AAT Pro Leu Asp Asp Lys Ala Ala Val Cys Gly Phe Glu Ala Phe Ile Asn 660 675	2131
GGG AAG CAC ATA GTT GGA GAG ATT AAA GAG AAG GAA GAA	2179
GAG TAC CTA GAA GCC GTG ACC CAG GGC CAT GGC GCT TAC CTG ATG AGT Glu Tyr Leu Glu Ala Val Thr Gln Gly His Gly Ala Tyr Leu Met Ser 695 700 705	2227

				TTT Phe					2275
			•	AAA Lys 730					2323
				TTT Phe					2371
				AAT Asn				-	 2419
	Ile			GGA Gly					2467
				GTG Val					2515
				ACA Thr 810					2563
				AGC Ser					2611
				AGA Arg					 2659
				CTT Leu					2707
				GAG Glu					2755
				GTG Val 890					2803
				GTG Val					2851
	•			AAG Lys					 2899

ACA Thr	AGC Sei	C AAT r Asn	ACC Thr 935	1111	GCA Ala	GCA Ala	GA(G TT(u Pho 94)	e Il	C AI e Me	G TC	T GC	C AC a Th	r Pr	T ACC o Thr	2947
	U1,	950	1111	Asp	Pne	Trp	ьуя 955	Thi	. Le	u Ar	g Ty	r Le	u Sei 0	r Lei	A TTG u Leu	2995
-7-	965	i	arg	GIY	ser	970	Asn	ı Ile	e Lei	u Le	u Va. 97:	l Se: 5	r Asp	Gly	G CAC	3043
980		, risp	GIU	ser	985	Inr	Leu	Gln	Let	1 Va: 990	l Ly:	s Arg	g Ser	Arg	C CCG J Pro 995	3091
		AGG Arg	лец	1000)	Cys	GIÀ	Ile	Gl _y 100	/ Sei	Thr	Ala	Asn	Arg 101	His O	3139
		nig.	1015	neu	ser	GIN	Cys	102	Ala O	Gly	v Val	Phe	Glu 102	Tyr 5		3187
- 101.		AAA Lys 1030	561	пув	HIS	ser	Trp 1035	Arg	Lys	Gln	Ile	Glu 104	Asp 0	Gln	Met	3235
	1045		cys .	ser	PIO	ser 1050	Cys	His	Ser	Val	Ser 105	Val 5	Lys	Trp	Gln	3283
1060		AAT (Asn)		Asp .	1065	Pro (GIU	Ala	Leu	Gln 107	Ala O	Pro	Ala	Gln	Val 1075	3331
CCA '		200 /	1	1080	MBII Z	Asp A	arg	Leu	Leu 108	Val	Tyr	Gly	Phe	Ile 1090	Pro	3379
CAC T	-,]	1095	ua.	rnr 1	.eu (Cys .	Ala 1100	Leu	Ile	Gln	Glu	Lys 1105	Glu	Phe	3427
TGT A		ATG G Met V 1110	TG T	CG A	ACT A Thr I	.nr c	BAG Blu 1	CTT Leu	CAG Gln	AAG Lys	ACA Thr	ACT Thr 1120	Gly	ACT Thr	ATG Met	3475
ATC C	CAC I	AAG C Lys L	TG G	CA G	TTA A	GA G rg A 130	CT (CTA . Leu	ATC Ile	AGA Arg	GAT Asp 1135	Tyr	GAA Glu	GAT Asp	GGC Gly	3523
ATT C Ile L 1140	TT (CAC G	AA A lu A	SII G	AA A lu T 145	CC A hr S	GT (er }	CAT (3lu	ATG Met 1150	Lys	AAA Lys	CAA /	Thr :	TTG Leu 1155	3571

		ATT Ile		Lys					Asn					Gln	3619
		TTT Phe 1175	Val					Arg					Ser		3667
		ATT Ile					Glu					Glu			3715
	Leu	CCC Pro				Trp					Gln				3763
Asn		TCT Ser			Ala					Pro		•			3811
		AAA Lys		Arg					Ser					Glu	3859
		CCA Pro 1255	Glu					Phe					Leu		3907
		GCT Ala					Leu					Val			3955
	Asp	TTA Leu				Glu					Thr				4003
Leu		AAG Lys			Ser					Ser					4051
		TTG Leu		Pro					Tyr					Thr	4099
		AGT Ser 1335	Pro					Phe					Gln		4147
		GGT Gly					Pro					Ala			4195
	Gln	GGC Gly				Gly					Trp				4243

TCG GCG TCT TGT CCC ACA GGA CCT CCC CAG AAC CCA CCT TCT GCA CCC Ser Ala Ser Cys Pro Thr Gly Pro Pro Gln Asn Pro Pro Ser Ala Pro 1380 1385 1390 1395	4291
TAT TGT GGC ATT GTT TTT TCA GGG AGC TCA TTA AGC TCT GCA CAG TCT Tyr Cys Gly Ile Val Phe Ser Gly Ser Ser Leu Ser Ser Ala Gln Ser 1400 1405 1410	4339
GCT CCA CTG CAA CAT CCT GGA GGC TTT ACT ACC AGG CCT TCT GCT GGC Ala Pro Leu Gln His Pro Gly Gly Phe Thr Thr Arg Pro Ser Ala Gly 1415 1420 1425	4387
ACC TTC CCT GAG CTG GAT TCT CCC CAG CTT CAT TTC TCT CCT ACA Thr Phe Pro Glu Leu Asp Ser Pro Gln Leu His Phe Ser Leu Pro Thr 1430 1435 1440	4435
GAC CCT GAT CCC ATC AGA GGT TTT GGG TCT TAT CAT CCC TCT GCT TAC Asp Pro Asp Pro Ile Arg Gly Phe Gly Ser Tyr His Pro Ser Ala Tyr 1445 1450 1455	4483
TCT CCT TTT CAT TTT CAA CCT TCC GCA GCC TCT TTG ACT GCC AAC CTT Ser Pro Phe His Phe Gln Pro Ser Ala Ala Ser Leu Thr Ala Asn Leu 1460 1465 1470 1475	4531
AGG CTG CCA ATG GCC TCT GCT TTA CCT GAG GCT CTT TGC AGT CAG TCC Arg Leu Pro Met Ala Ser Ala Leu Pro Glu Ala Leu Cys Ser Gln Ser 1480 1485 1490	4579
CGG ACT ACC CCA GTA GAT CTC TGT CTT CTA GAA GAA TCA GTA GGC AGT Arg Thr Thr Pro Val Asp Leu Cys Leu Leu Glu Glu Ser Val Gly Ser 1495 1500 1505	4627
CTC GAA GGA AGT CGA TGT CCT GTC TTT GCT TTT CAA AGT TCT GAC ACA Leu Glu Gly Ser Arg Cys Pro Val Phe Ala Phe Gln Ser Ser Asp Thr 1510 1515	4675
GAA AGT GAT GAG CTA TCA GAA GTA CTT CAA GAC AGC TGC TTT TTA CAA Glu Ser Asp Glu Leu Ser Glu Val Leu Gln Asp Ser Cys Phe Leu Gln 1525 1530 1535	4723
ATA AAG TGT GAT ACA AAA GAT GAC AGT ATC CCG TGC TTT CTG GAA TTA Ile Lys Cys Asp Thr Lys Asp Asp Ser Ile Pro Cys Phe Leu Glu Leu 1540 1550 1555	4771
AAA GAA GAG GAT GAA ATA GTG TGC ACA CAA CAC TGG CAG GAT GCT GTG Lys Glu Glu Asp Glu Ile Val Cys Thr Gln His Trp Gln Asp Ala Val 1560 1565 1570	4819
CCT TGG ACA GAA CTC CTC AGT CTA CAG ACA GAG GAT GGC TTC TGG AAA Pro Trp Thr Glu Leu Leu Ser Leu Gln Thr Glu Asp Gly Phe Trp Lys 1575 1580 1585	4867
CTT ACA CCA GAA CTG GGA CTT ATA TTA AAT CTT AAT ACA AAT GGT TTG Leu Thr Pro Glu Leu Gly Leu Ile Leu Asn Leu Asn Thr Asn Gly Leu 1590 1595 1600	4915

CAC His	AGC Ser 160	Phe	CTT Leu	AAA Lys	CAA Gln	AAA Lys 1610	Gly	ATT Ile	CAA Gln	Ser	CTA Leu 1615	Gly	GTA Val	AAA Lys	GGA Gly	4963
	Glu					Leu		GCC Ala			Leu					5011
					Glu			GGA Gly		Val					Met.	5059
				Pro				AGG Arg 1660	Asn					Phe		5107
	Ile		Gln					GTA Val					Ġly			5155
		Ile					Glu	CTG Leu				Trp				5203
	Lys					Leu		CCC Pro			Thr					5251
			CTC Leu		Tyr			GGC	TAAG	TCAA	AT G	AAAC	TGAA	T TI	'TAA	5303
ACTI	TTTC	CA I	GCTT	CTAT	G TA	GAAA	ATAA	TCA	AATG	ATA	ATAG	ATAA	TT A	TAAT	GAAAC	5363
TTCA	TTAA	.GG I	TTCA	TTCA	G TG	TAGO	'AATT	` ACT	GTCT	TTA	AAAA	TTAA	GT G	GAAG	AAGAA	5423
TTAC	TTTA	AT C	AACT	AACA	A GC	AATA	ATAA	AAT	GAAA	CTT	AAAA	TAAA	AA A	AAAA	AAAA	5483
AAAA	AAA								•			•				5490

- (2) INFORMATION FOR SEQ ID NO:2:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 1724 amino acids
 - (B) TYPE: amino acid
 - (C) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: protein
 - (ix) SEQUENCE DESCRIPTION: SEQ ID NO:2:

Met Val Met Gly Ile Phe Ala Asn Cys Ile Phe Cys Leu Lys Val Lys Tyr Leu 1 5 10 15

Pro Gln Gln Gln Lys Lys Leu Gln Thr Asp Ile Lys Glu Asn Gly Gly Lys
20 25 30 35

- Phe Ser Phe Ser Leu Asn Pro Gln Cys Thr His Ile Ile Leu Asp Asn Ala Asp
 40 45 50
- Val Leu Ser Gln Tyr Gln Leu Asn Ser Ile Gln Lys Asn His Val His Ile Ala 55 60 65 70
- Asn Pro Asp Phe Ile Trp Lys Ser Ile Arg Glu Lys Arg Leu Leu Asp Val Lys
 75 '80 85 90
- Asn Tyr Asp Pro Tyr Lys Pro Leu Asp Ile Thr Pro Pro Pro Asp Gln Lys Ala
 95 100 105
- Ser Ser Ser Glu Val Lys Thr Glu Gly Leu Cys Pro Asp Ser Ala Thr Glu Glu 110 115 120 125
- Glu Asp Thr Val Glu Leu Thr Glu Phe Gly Met Gln Asn Val Glu Ile Phe His
- Leu Pro Gln Asp Phe Glu Val Ala Lys Tyr Asn Thr Leu Glu Lys Val Gly Met 150 155 160
- Glu Gly Gly Gln Glu Ala Val Val Glu Leu Gln Cys Ser Arg Asp Ser Arg 165 170 175 180
- Asp Cys Pro Phe Leu Ile Ser Ser His Phe Leu Leu Asp Asp Gly Met Glu Thr 185 190 195
- Arg Arg Gln Phe Ala Ile Lys Lys Thr Ser Glu Asp Ala Ser Glu Tyr Phe Glu 200 205 215
- Asn Tyr Ile Glu Glu Leu Lys Lys Gln Gly Phe Leu Leu Arg Glu His Phe Thr 220 225 230
- Pro Glu Ala Thr Gln Leu Ala Ser Glu Gln Leu Gln Ala Leu Leu Leu Glu Glu 235 240 245 250
- Val Met Asn Ser Ser Thr Leu Ser Gln Glu Val Ser Asp Leu Val Glu Met Ile
 255 260 265 270
- Trp Ala Glu Ala Leu Gly His Leu Glu His Met Leu Leu Lys Pro Val Asn Arg 275 280 285
- Ile Ser Leu Asn Asp Val Ser Lys Ala Glu Gly Ile Leu Leu Leu Val Lys Ala
 290 295 300 305
- Ala Leu Lys Asn Gly Glu Thr Ala Glu Gln Leu Gln Lys Met Met Thr Glu Phe 310 315 320
- Tyr Arg Leu Ile Pro His Lys Gly Thr Met Pro Lys Glu Val Asn Leu Gly Leu 335 340
- Leu Ala Lys Lys Ala Asp Leu Cys Gln Leu Ile Arg Asp Met Val Asn Val Cys
 345 350 355 360

Glu Thr Asn Leu Ser Lys Pro Asn Pro Pro Ser Leu Ala Lys Tyr Arg Ala Leu 370 Arg Cys Lys Ile Glu His Val Glu Gln Asn Thr Glu Glu Phe Leu Arg Val Arg Lys Glu Val Leu Gln Asn His His Ser Lys Ser Pro Val Asp Val Leu Gln Ile 405 Phe Arg Val Gly Arg Val Asn Glu Thr Thr Glu Phe Leu Ser Lys Leu Gly Asn Val Arg Pro Leu Leu His Gly Ser Pro Val Gln Asn Ile Val Gly Ile Leu Cys Arg Gly Leu Leu Pro Lys Val Val Glu Asp Arg Gly Val Gln Arg Thr Asp 455 460 Val Gly Asn Leu Gly Ser Gly Ile Tyr Phe Ser Asp Ser Leu Ser Thr Ser Ile Lys Tyr Ser His Pro Gly Glu Thr Asp Gly Thr Arg Leu Leu Leu Ile Cys Asp 490 495 Val Ala Leu Gly Lys Cys Met Asp Leu His Glu Lys Asp Phe Pro Leu Thr Glu 515 Ala Pro Pro Gly Tyr Asp Ser Val His Gly Val Ser Gln Thr Ala Ser Val Thr 530 535 Thr Asp Phe Glu Asp Asp Glu Phe Val Val Tyr Lys Thr Asn Gln Val Lys Met 545 Lys Tyr Ile Ile Lys Phe Ser Met Pro Gly Asp Gln Ile Lys Asp Phe His Pro 565 Ser Asp His Thr Glu Leu Glu Glu Tyr Arg Pro Glu Phe Ser Asn Phe Ser Lys 580 Val Glu Asp Tyr Gln Leu Pro Asp Ala Lys Thr Ser Ser Ser Thr Lys Ala Gly 595 600 . 605 Leu Gln Asp Ala Ser Gly Asn Leu Val Pro Leu Glu Asp Val His Ile Lys Gly 620 Arg Ile Ile Asp Thr Val Ala Gln Val Ile Val Phe Gln Thr Tyr Thr Asn Lys 635 640 Ser His Val Pro Ile Glu Ala Lys Tyr Ile Phe Pro Leu Asp Asp Lys Ala Ala Val Cys Gly Phe Glu Ala Phe Ile Asn Gly Lys His Ile Val Gly Glu Ile Lys 675

Glu Lys Glu Glu Ala Gln Gln Glu Tyr Leu Glu Ala Val Thr Gln Gly His Gly 690 695 700 Ala Tyr Leu Met Ser Gln Asp Ala Pro Asp Val Phe Thr Val Ser Val Gly Asn Leu Pro Pro Lys Ala Lys Val Leu Ile Lys Ile Thr Tyr Ile Thr Glu Leu Ser 725 Ile Leu Gly Thr Val Gly Val Phe Phe Met Pro Ala Thr Val Ala Pro Trp Gln 750 Gln Asp Lys Ala Leu Asn Glu Asn Leu Gln Asp Thr Val Glu Lys Ile Cys Ile Lys Glu Ile Gly Thr Lys Gln Ser Phe Ser Leu Thr Met Ser Ile Glu Met Pro 780 Tyr Val Ile Glu Phe Ile Phe Ser Asp Thr His Glu Leu Lys Gln Lys Arg Thr Asp Cys Lys Ala Val Ile Ser Thr Met Glu Gly Ser Ser Leu Asp Ser Ser Gly 815 Phe Ser Leu His Ile Gly Leu Ser Ala Ala Tyr Leu Pro Arg Met Trp Val Glu 835 840 Lys His Pro Glu Lys Glu Ser Glu Ala Cys Met Leu Val Phe Gln Pro Asp Leu 855 Asp Val Asp Leu Pro Asp Leu Ala Ser Glu Ser Glu Val Ile Ile Cys Leu Asp 870 875 Cys Ser Ser Ser Met Glu Gly Val Thr Phe Leu Gln Ala Lys Gln Ile Thr Leu His Ala Leu Ser Leu Val Gly Glu Lys Gln Lys Val Asn Ile Ile Gln Phe Gly Thr Gly Tyr Lys Glu Leu Phe Ser Tyr Pro Lys His Ile Thr Ser Asn Thr Thr 925 930 Ala Ala Glu Phe Ile Met Ser Ala Thr Pro Thr Met Gly Asn Thr Asp Phe Trp 945 Lys Thr Leu Arg Tyr Leu Ser Leu Leu Tyr Pro Ala Arg Gly Ser Arg Asn Ile Leu Leu Val Ser Asp Gly His Leu Gln Asp Glu Ser Leu Thr Leu Gln Leu Val 980 Lys Arg Ser Arg Pro His Thr Arg Leu Phe Ala Cys Gly Ile Gly Ser Thr Ala 995 1000

- Asn Arg His Val Leu Arg Ile Leu Ser Gln Cys Gly Ala Gly Val Phe Glu Tyr 1010 1015 1020 1025
- Phe Asn Ala Lys Ser Lys His Ser Trp Arg Lys Gln Ile Glu Asp Gln Met Thr 1030 1035 1040
- Arg Leu Cys Ser Pro Ser Cys His Ser Val Ser Val Lys Trp Gln Gln Leu Asn 1045 1050 1055 1060
- Pro Asp Ala Pro Glu Ala Leu Gln Ala Pro Ala Gln Val Pro Ser Leu Phe Arg
 1065 1070 1080
- Asn Asp Arg Leu Leu Val Tyr Gly Phe Ile Pro His Cys Thr Gln Ala Thr Leu 1085 1090 1095
- Cys Ala Leu Ile Gln Glu Lys Glu Phe Cys Thr Met Val Ser Thr Thr Glu Leu 1100 1105 1110 1115
- Gln Lys Thr Thr Gly Thr Met Ile His Lys Leu Ala Ala Arg Ala Leu Ile Arg 1120 1125 1130
- Asp Tyr Glu Asp Gly Ile Leu His Glu Asn Glu Thr Ser His Glu Met Lys Lys 1135 1140 1145 1150
- Gln Thr Leu Lys Ser Leu Ile Ile Lys Leu Ser Lys Glu Asn Ser Leu Ile Thr 1155 1160 1165 1170
- Gln Phe Thr Ser Phe Val Ala Val Glu Lys Arg Asp Glu Asn Glu Ser Pro Phe 1175 1180 1185
- Pro Asp Ile Pro Lys Val Ser Glu Leu Ile Ala Lys Glu Asp Val Asp Phe Leu 1190 1195 1200 1205
- Pro Tyr Met Ser Trp Gln Gly Glu Pro Gln Glu Ala Val Arg Asn Gln Ser Leu 1210 1215 1220
- Leu Ala Ser Ser Glu Trp Pro Glu Leu Arg Leu Ser Lys Arg Lys His Arg Lys 1225 1230 1235 1240
- Ile Pro Phe Ser Lys Arg Lys Met Glu Leu Ser Gln Pro Glu Val Ser Glu Asp 1245 1250 1255 1260
- Phe Glu Glu Asp Gly Leu Gly Val Leu Pro Ala Phe Thr Ser Asn Leu Glu Arg
 1265 1270 1275
- Gly Gly Val Glu Lys Leu Leu Asp Leu Ser Trp Thr Glu Ser Cys Lys Pro Thr 1280 1285 1290 1295
- Ala Thr Glu Pro Leu Phe Lys Lys Val Ser Pro Trp Glu Thr Ser Thr Ser Ser 1300 1305 1310
- Phe Phe Pro Ile Leu Ala Pro Ala Val Gly Ser Tyr Leu Thr Pro Thr Thr Arg

- Ala His Ser Pro Ala Ser Leu Ser Phe Ala Ser Tyr Arg Gln Val Ala Ser Phe
 1335 1340 1345
- Gly Ser Ala Ala Pro Pro Arg Gln Phe Asp Ala Ser Gln Phe Ser Gln Gly Pro
 1355 1360 1365
- Val Pro Gly Thr Cys Ala Asp Trp Ile Pro Gln Ser Ala Ser Cys Pro Thr Gly
 1370 1385
- Pro Pro Gln Asn Pro Pro Ser Ala Pro Tyr Cys Gly Ile Val Phe Ser Gly Ser 1390 1395 1400
- Ser Leu Ser Ser Ala Gln Ser Ala Pro Leu Gln His Pro Gly Gly Phe Thr Thr
- Arg Pro Ser Ala Gly Thr Phe Pro Glu Leu Asp Ser Pro Gln Leu His Phe Ser 1425 ' 1430 1435 1440
- Leu Pro Thr Asp Pro Asp Pro Ile Arg Gly Phe Gly Ser Tyr His Pro Ser Ala 1445 1450 1455
- Tyr Ser Pro Phe His Phe Gln Pro Ser Ala Ala Ser Leu Thr Ala Asn Leu Arg
 1460 1465 1470 1475
- Leu Pro Met Ala Ser Ala Leu Pro Glu Ala Leu Cys Ser Gln Ser Arg Thr Thr
- Pro Val Asp Leu Cys Leu Leu Glu Glu Ser Val Gly Ser Leu Glu Gly Ser Arg
 1495 1500 1505 1510
- Cys Pro Val Phe Ala Phe Gln Ser Ser Asp Thr Glu Ser Asp Glu Leu Ser Glu
 1515 1520 1530
- Val Leu Gln Asp Ser Cys Phe Leu Gln Ile Lys Cys Asp Thr Lys Asp Asp Ser
- The Pro Cys Phe Leu Glu Leu Lys Glu Glu Asp Glu He Val Cys Thr Gln His 1550 1565
- Trp Gln Asp Ala Val Pro Trp Thr Glu Leu Leu Ser Leu Gln Thr Glu Asp Gly
 1570 1580
- Phe Trp Lys Leu Thr Pro Glu Leu Gly Leu Ile Leu Asn Leu Asn Thr Asn Gly
 1585 1590 1595
- Leu His Ser Phe Leu Lys Gln Lys Gly Ile Gln Ser Leu Gly Val Lys Gly Arg 1605 1610 1615 1620
- Glu Cys Leu Leu Asp Leu Ile Ala Thr Met Leu Val Leu Gln Phe Ile Arg Thr
- Arg Leu Glu Lys Glu Gly Ile Val Phe Lys Ser Leu Met Lys Met Asp Asp Pro 1640 1645 1650

Ser Ile Ser Arg Asn Ile Pro Trp Ala Phe Glu Ala Ile Lys Gln Ala Ser Glu 1660 1665 1670

Trp Val Arg Arg Thr Glu Gly Gln Tyr Pro Ser Ile Cys Pro Arg Leu Glu Leu 1675 1680 1685 1690

Gly Asn Asp Trp Asp Ser Ala Thr Lys Gln Leu Leu Gly Leu Gln Pro Ile Ser 1695 1700 1705 1710

Thr Val Ser Pro Leu His Arg Val Leu His Tyr Ser Gln Gly 1715 1720

WE CLAIM:

5

10

15

20

- 1. A protein consisting essentially of purified human minor vault protein p193 or purified biologically active variants thereof, or a combination of purified human minor vault protein p193 and biologically active variants thereof.
 - 2. A recombinant protein according to claim 1.
- 3. A protein of claim 1, having an amino acid sequence of greater than about 50% identity of the amino acid sequence as set forth in Figure 2, SEQ ID NO:2.
 - 4. The protein of claim 1, having an amino acid as set forth in SEQ ID NO:2.
- 5. A protein recognized by a monoclonal antibody having affinity to the protein of claim 1.
- 6. A polynucleotide molecule encoding a protein according to claim 1, or its complementary strands.
- 7. A polynucleotide molecule which hybridizes to a polynucleotide sequence according to claim 6, or its complementary strands.
 - 8. An RNA molecule according to claim 6.
 - 9. A DNA molecule according to claim 6.
- 10. A purified and isolated polynucleotide molecule consisting essentially of a nucleotide sequence encoding human minor vault protein p193, or its complementary strands, or a combination of a nucleotide sequence encoding human minor vault protein p193 and its complementary strands.
- 11. A polynucleotide molecule which hybridizes to a polynucleotide sequence according to claim 10, or its complementary strands.
 - 12. An RNA molecule according to claim 10.
 - 13. A DNA molecule according to claim 10.
 - 14. A vector containing the polynucleotide of claim 6.
- 15. A prokaryotic or eukaryotic host cell stably transformed or transfected by the vector of claim 14.
 - 16. A vector containing the polynucleotide of claim 8.
- 17. A prokaryotic or eukaryotic host cell stably transformed or transfected by the vector of claim 16.
 - 18. A vector containing a DNA molecule encoding human minor vault protein p193.

- 19. A prokaryotic or eukaryotic host cell stably transformed or transfected by the vector of claim 18.
- 20. A high affinity monoclonal antibody which immunoreacts with a protein according to claim 1.
- 21. The antibody of claim 20 having an Fc portion selected from the group consisting of the IgM class, the IgG class and the IgA class.
- 22. A high affinity monoclonal antibody which immunoreacts with human minor vault protein p193.
- 23. The antibody of claim 22 having an Fc portion selected from the group consisting of the IgM class, the IgG class and the IgA class.
- 24. A method of making a monoclonal antibody which immunoreacts with human minor vault protein p193 comprising the steps of:
 - (a) administering human minor vault protein p193 to a host in an amount sufficient to induce the production of antibodies to the human minor vault protein p193 from the antibody-producing cells;
 - (b) recovering the antibody-producing cells from the host;
 - (c) forming cell hybrids by fusing the antibody-producing cell to cells capable of substantially unlimited reproduction;
 - (d) culturing the hybrids; and
 - (e) collecting the monoclonal antibodies as a product of the hybrids.
- 25. The method of claim 24, wherein the cells capable of substantially unlimited reproduction in step (c) are myeloma cells.
 - 26. A method of making a protein of claim 1, comprising the steps of:
 - (a) culturing a microorganism transformed with a polynucleotide encoding human minor vault protein p193; and
 - (b) recovering the human minor vault protein p193.
- 27. A method of diagnosing a patient with a multidrug-resistant cancer comprising the steps of:
 - (a) providing a sample of tissue or fluid from the patient;
- (b) determining the level of a substance selected from the group consisting of p193 protein, p193 DNA, p193 mRNA, a substantial portion of p193 protein, a

30

5

10

15

20

5

10

15

20

25

30

substantial portion of p193 DNA, a substantial portion of p193 mRNA and a combination of one of the foregoing in the patient sample; and

(c) comparing the level of the substance determined in step (b) to a known range of levels for the substance in patients with multidrug-resistant cancers,

wherein a diagnosis of multidrug-resistant cancer is made when the level of the substance determined in step (b) is within the range of levels for the substance in patients with multidrug-resistant cancers.

- 28. The method of claim 27, wherein the sample is selected from the group consisting of bone marrow, cerebral spinal fluid, blood, tears, saliva and a biopsy specimen.
- 29. A method of treating a patient with multidrug-resistant cancer comprising the steps of:
 - (a) diagnosing a patient with multidrug-resistant cancer according to claim 27; and
 - (b) treating the patient.
- 30. The method of claim 29, wherein the treating step (b) comprises administering to the patient antibodies having an affinity for a substance selected from the group consisting of p193 protein and a polynucleotide encoding p193.
- 31. The method of claim 29, wherein the treating step (b) comprises administering to the patient at least one antisense polynucleotide having an affinity for a polynucleotide encoding p193.
- 32. The method of claim 29, wherein the treating step (b) comprises administering to the patient at least one drug that blocks NAD.
- 33. The method of claim 30, wherein the drug is selected from the group consisting of PD128763 and 3-aminobenzamide.
- 34. A method of treating a patient with multidrug-resistant cancer comprising the step of administering to the patient antibodies having an affinity for a substance selected from the group consisting of p193 protein and a polynucleotide encoding p193.
 - 35. A method of treating a patient with multidrug-resistant cancer comprising the step of administering to the patient at least one antisense polynucleotide having an affinity for a polynucleotide encoding p193.
 - 36. A method of treating a patient with multidrug-resistant cancer comprising the

WO 99/62547 PCT/US98/11348

27

step of administering to the patient at least one drug that blocks NAD.

37. The method of claim 36, wherein the drug is selected from the group consisting of PD128763 and 3-aminobenzamide.

	<u>-</u>		10		
CGCCCGCCAGCCCCGGGGGAAAGCCTAAATTACGGAAGCGAAGGAGCGGGGGGGG	GGCAGGAIGGIGAIGGGAATCTIIGCAAAITGIAICIICIGITIGAAAGIGAAGITACTIACCTCAGCAGGAAAAAAGCIACAAAACIGACATTAAGG + 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	AAAAIGGCGGAAAGTTITCCTTITCGTTAAAICCTCAGTGCACATATAATCTTAGATAATGCTGATGTTCTGAGTCAGTACCAACTGAATICTAICCA +++++++++++++++++++++++++++++++++	AAAGAACCACGTTCATATTGCAAACCCAGAITITATATGGAAATCTATCAGAGAAAAGAGACTCTTGGATGTAAAGAATTATGATCCTTATAAGCCCCTG ++++++++++++++++++++++++++++++++	GACATCACACCACCTCCTGATCAGAAGGCGAGCAGTTCTGAAGTGAAAACAGACGTCTATGCCCGGACAGTGCCACAGAGGGAGG	TCACIGAGITTGGTATGCAGAATGTTGAAATTCCTCATCTTCCTCAAGATTTTGAAGTTGCAAAATATAAACACCTTGGAGAAAGTGGGAATGGAGGGAG

CHICOCOLO INO DOCUETATALE

FIG. 1b

		2/1	^		
92	800	- 2/1 - 06	000	1100	1200
CCAGGAAGCIGIGGIGGIGGAGCIICAGIGIICGCGGGACICCAGGGACTGICCIIICCIGAIAICCICACACIICCICCIGGAIGAIGGAGACI +	AGAAGACAGTITGCTATAAAGAAACCTCTGAAGATGCAAGTGAATACTTTGAAAATTACATTGAAGAACTGAAGAAACAAGGATTTCTACTAAGAGAAC +++++++++++++++++++++++++++++++	AITTCACACCIGAAGCAACCCAATTAGCATCTGAACAATTGCAAGCATTGCTTTTGGAGGAAGTCATGAATTCAAGCACTCTGAGCCAAGAGGTGAGCGA 	TITAGTAGAGATGATITGGGCAGAGGCCCTGGGCCACCTGGAACACATGCTTCTCAAGCCAGTGAACAGGATTAGCCTCAACGATGTGAGCAAGGCAGAGAGAG	666AITCICCITCIAGIAAAGGCACTGAAAAIGGAGAAACAGCAGCAATTGCAAAAGATGATGACAGATTTTACAGACTGATACCTCACAAAG 11111111111111111111111111111111	GCACAATGCCCAAAGAAGTGAACCTGGGACTATTGGCTAAGAAAGCAGACCTCTGCCAGCTAATAAGAGACATGGTTAATGTCTGTGAAACTAATTTGTC +++++++++++++++++++++++++++++++++

		3.	/10	•	
1300	1400	150	1600	1700	1800
A 6 A (\$61A	Y 3 9	4 6 A 4 6 A	9 + 3 7	2 + 9
A A A A A A A A A A A A A A A A A A A	C 7 7 6 A A (6161 6767	A C C	76C	
1 X 1 C	A A A A I I I I I I I I I I I I I I I I	0 T G	9 0 0 Y	0 1 6 1 6 C A C	N I I
999	6 A 6	6 A T C	. Y 9 Y	6 A C	1414
010	T + W	6 4 4	A 6 A 0	7 A C	A I A I
= X	1497	0 Y O	0 Y 9	9997	
1 6 A A A	3 L 9 9 L 3 L 9	A67 10A1)))) 	991 166	A 16.
104	A C C /	1198 1198	0 Y C A C	9919 1110	X + I
A 1 A 0	16AA	1 A C	1979	9 Y Y 6	199
101 101	6 4 4	C T T T	V 1 9 1	A C T	A 1 C A
0 1 1 2	4 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6	116 116	16A 16A 16A	C 1 1 A	199 199
1191	6 CA	7 7 7 9 9 Y 9 9 Y	A 61 A 1 C A 1	99Y	¥
409 409	6116 6176 6176	9 J L C 6	A C A T T G T	A C T	SATA
GCTTTGAGGTGCAAATTGAGCATGTTGAACAGAATACTGAAGAATTTCTCAGGGTTAGAAAAGAG 	ATGICITGCAGATATITAGAGTTGGCAGAGTGAATGAAACCACAGAGTTTTTGAGCAAACTTGGAA 	161 ACA(CA61	TATGGACITACATGAGAAGGACTITCCCTTAACTGAAGCACCACCAGGCTACGACAGTGTGCATG 	GACTITGAGGATGATGATTTGITGICIAIAAAGCAATCAGGITAAAATGAAATATATTATTAATTTG F
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	I W W I	A 1 C 1	1 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	646/	1911 1921
16 C A	1 6 A T	66A	1446	1 CA 1	11.4
99Y	1 6 C /	0 4 0 0 0 4 0 0	9 L 9 1 9 2 7 3 7 3 7 3 7 3 7 3 7 3 7 3 7 3 7 3 7	C117 C117 C4 A 1	6 A T 6
1116 1116 1116 1116	101 101 101	V 1 9	11 C.A	Y 9 9 1	1 4 5 5 7 1 S
991 991	0410	A A A A A A A A A A A A A A A A A A A	Y - Y	719	16 A 6
7 C C C	9 1 9 V	17AC A1G	6 A T 1	A A 6.1	113 6 A A B
1 A A T	999	0 V 9 9	3 J.6 6	Y 9 9	79 73
1999	9 Y 9 Y	101 101 101	6 A A (9 V 9 5	V 3 3 1
0 V 9	61A CAT	1667 ACCA	2116 3446	9 9 J I	() L 0 V 0
A 1 C C	1918 1918	190 190	A A C.	A C G T	7 C T
991:	CAT 6 TA	7671 A C A A	1995 1995	919) 0 9 J I
A C C (6 A A T	CC1	190	N A A A	11 6 11 6
A A C C C A A C C C A C C A T A C C C A A T A C C C A I A C C C A I A C C C A I A C C C A I A C C C A I A C C C A I A C C C A I A T A C C C A I A T A C C C A I A T A C C C A I A T A T G G C T C C C C C T T T A T G G C T C C C C C T T T A T G G C T C C C C C T T T A T G G C T C C C C C T T T A T G G C T C C C C C T T T A T G G C T C T A C C C C C T T T A T G G C T C T C C C C T T A T G G C T C C C C C T T A T G G C T C C C C C T T A T G G C T C C C C C T T A T G G C T C C C C C C T T A T G G C T C C C C C T T A T G G C T C C C C C T T A T G G C T C C C C C C T T A T G C C C C C C C C C C C C C C C C C C	409 409 661	7 9 9 Y	CA6A 51CT	0 L O C O C O C O C O C O C O C O C O C O	CAC.
CAAACCCAACCCATCCCTGGCCAAATACCGA + 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	6	AIGTGAGGCCCTTGITGCATGGTTCTCCTGTACAAACATCGTGGGAATCTTGTGTCGAGGGTTGCTTTTACCCAAAGTAGTGGAAGATCGTGGTGTGA ++++++++++++++++++++++++++++++	AAGAACAGACGICGGAAACCIIGGAAGIGGGAIIIAIIICAGIGAIICGCICAGIACAAGIAICAAGIACICACACCCGGGAGAGACAGGAGACAGAIGGCAGACAGA	CICCIGCICATIIGIGACGIAGCCCICGGAAAGIG 	6 A 6 I I I C A C A A A C A 6 C C I C I G I C A C C A C A 6 A C I I I I I I I I I I I I I I I I I I
· · · · · · · · · · · · · · · · · · ·	9 + 0	< F	= 	13 ‡ 5 	3 1 5 1 5

FIG. 10

_		4/1	0		
1900	2000	2100	2200	2300	2400
CATGCCTGGAGATCAGATAAAGGACTITCATCCTAGTGATCATACTGAATTAGAGGAATACAGACCTGAGTTTTCAAATTTTTTCAAAGGTTGAAGATTAC ++++++++++++++++++++++++++++++++++	CAGITACCAGATGCCAAAACITCCAGCAGCACCAAGGCCGGCCTCCAGGATGCCTCTGGGAACTTGGTTCCTGGAGGATGTCCACATCAAAGGGAGAAA 	ICATAGACACTGTAGCCCAGGTCATTGTTTTCAGACATACACAAATAAAGTCACGTGCCCATTGAGGCAAAATATATCTTTCCTTTGGATGACAAGGC	CGCTGTGTGTGCCTTCGAAGCCTTCATGGGAAGCACATAGTTGGAGATTAAAGAGAAGGAAG	CAGGGCCATGGCGCTTACCTGATGAGTCAGGATGCTCCGGACGTTTTTACTGTAAGTGTTGGAAACTTACCCCCTAAGGCTAGGTTCTTATAAAATTA	CCTACATCACAGGAACTCAGGATCCTGGGCACTGTTGGTGTCTTTTTCATGCCCGCCACCGTAGCACCGGGCAACAGGCTTTGAATGAA

TCAGGATACAGTAGAGATTTGTATAAAGAAATAGGAACAAAGCTTCTCTTTGACTATGTCTATTGAGATGCCGTATGTGTTGAATTCATT ++++++++++++++++++++++++++++++	ITCAGIGATACACATGAACTGAAACAAAAGGGCACAGACTGCAAAGCTGTCATTAGCACCATGGAAGGCAGCTCCTTAGACAGCAGTGGATTITCTCTCCC 1111111111111111111111111111	ACATCGGITTGICIGCCTATCTCCCAAGAATGIGGGITGAAAACATCCAGAAAAAGAAGCGAGGCTTGCATGCTTGTCTTTCAACCCGATCTCGA - 1900 10	TGICGACCICCCIGACCTAGCCAGIGAGGGAAGIGAITAITIGICTIGACIGCICCAGTICCATGGAGGGIGIGACATICTIGCAAGCCAAGC	ACCITGCATGCGCTGTCCTTGGTGGGGGGGAAAGTAATATATCCAGTTCGGCACAGGTTACAAGGAGCTATTTTCGTATCCTAAGCATATCA 11111111111111111111111111111111	CAAGCAATACCACGGCAGCAGAGTICATGTCTGCCACACCTACCATGGGGAACACACTTCTGGAAAACACTCCGATATCTTAGCTTATTGTACCC + + + + + + + + + + + + + + + + + +
1CAGGATACAGTA(111111111111111111111111111111111111	TTCAGTGATACACA +++++++++++++++++++++++++++++++++	ACAICGGIIIGICI	161C6ACC1CCC16 +++++++++++++++++++++++++++++++	ACCTTGCATGCGCT(CAAGCAATACCACGG

7	_	
(<u>ت</u>	
Ĺ		

-		6/1	0		
3100	3200	6/1 88 88	3400	3500	3600
TGCTCGAGGGTCACGGAACATCCTCCTGGTGTTGTGGCCACCTCCAGGATGAGGCCTGACATTACAGGTGGTGAAGAGGAGCCGCCGCACACAGGGATGAGGAGGAGCCGCCGCACAGGGAGGAGGAGGAGGAGGAGG	TIATICGCCTGCGGTATCGGTTCTACAGCAAATCGTCACGTCTTAAGGATTTTGTCCCAGTGTGGCGGAGTATTTGAATATTTAATGCAAAATCCAAAATCCAAAATCCA + 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	AGCATAGITGGAGAAACAGATAGAAGACCAAATGACCAGGCTATGITCTCCGAGTTGCCACTCTGTCTCCGTCAAATGGCAGCAACTCAATCCAGATGC 111111111111111111111111111111111111	GCCCGAGGCCCIGCAGGCCCCAGGIGCCATCCTIGITICGCAAIGATCGACTCCTIGICTAIGGATTCATTCCTCACTGCACTG	TGTGCACTAATTCAAGAAATTTTTGTACAATGGTGTCGACTACTGAGCTTCAGAAGACAACTGGAACTATGATCCACAAGCTGGCAGCCGGAGCTC +++++++++++++++++++++++++++++++++++	TAATCAGAGATTATGAAGATGGCATTCTTCACGAAAATGAAACCAGTCATGAGATGAAAACCAACC

RNSDOCID- WO 006254741

7	_	ر -	,
(r	5	•
L	l	_	

_		7/-	,		
3700	3800	7/1 , 008 , 88	4000		4200
AAACTCICTCATAACACAATTIACAAGCITIGIGGCAGIIGAGAAAAGGGAIGAGAAIGAGICGCCITITICCTGATATICCAAAAGTTICTGAACTTAIT TITGAGAGATATGIGITAAAIGITCGAAACACCGICAACTCITICCCTACTCATAGGGAAAAGGACTATAAGGTTICAAAGACTIGAATAA	GCCAAAGAAGATGTAGACTTCCTGCCCTACATGAGCTGGCAGGGGAGCCCCAAGAAGCGGTCAGGGAACCAGTCTTTTAGCATCCTCTGAGTGGCCAG 	AATTACGITIAICCAAACGAAAACATAGGAAAATICCAITTICCAAAAATGGAAATTATCICAGCCAGAAGTITCIGAAGATTTGAAGAGGAGGATGG	CITAGGIGIACTACCAGCITICACATCAAAITIGGAACGIGGAGGIGIGGAAAAGCIATIGGATITAAGITGGACAGGICATGIAAACCAACAGCAACT	GAACCACTATITAAGAAAGICAGICCATGGGAAACAICTACTICTAGCTTTITICCTATTTTGGCTCCGGCCGTTGGTTCCTATCTTACCCGACTACCC 11111111111111111111111111111111	GCGCTCACAGICCIGCTICCTIGICTTITGCCTCATAICGICAGGTAGCTAGTITCGGTTCAGCTGCTCCCCAGACAGTTIGATGCATCTCAATICAG 111111111111111111111111111111111111

FIG. 1h

_		8/1	0		
4300	4400	4500	υ 009 1	0021	800
CCAAGGCCCIGIGCCIGGCACIIGIGCIGACIGGAICCCACAGICGGCGICIIGICCCACAGGGACCICCCAGAACCCCACAICIICIGCACCTAIIGIGC	ATTGITTTICAGGGAGCTCATTAAGCTCTGCACAGTCTGCTCCACTGCAACATCCTGGAGGCTTTACTACCAGGCCTTCTGCTGGCACCTTCCCTGAGC + 1 + 1 + 1 + 1 + 1 + 1 + 1 + 1 + 1 + 1	TGGATTCTCCCCAGCTTCATTTCTCTTCTTTCTACAGACCCTGATCCCATCAGAGGTTTTGGGTCTTATCATCCCTCTGCTTACTCTTTTCATTTTCATTTTCATTTTCA + 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ACCITCCGCAGCCICTITGACTGCCAACCTTAGGCTGCCAATGGCCTCTGGTTTACCTGAGGCTCTTTGCAGTCAGT	TGICTICIAGAAGAATCAGTAGGCAGTCTCGAAGGAAGTCGATGTCCTGTCTTTGCTTTTCAAAGTTCTGACACAGAAAGTGATGAGCTATCAGAAGTAC ++++++++++++++++++++++++++++++++++++	TICAAGACAGCIGCIITITACAAATAAAGIGIGATACAAAAGAIGACAGTATCCCGTGCTTICTGGAATTAAAAGAAGAGGATGAAATAGTGTGTGCACACA 11111111111111111111111111111111

TAAACTITTTGCATGCTTCTATGTAGAAATAATCAAATGATAATTATAATTATAATGAAACTTCATTAAGGTTTCATTCA	
	AAGCAGIIGCIGGGACICCAGCCCATAAGCACIGIGICCCCTCTICATAGAGICCICCATTACAGICAAGGCTAAGICAAATGAAACTGAATTT
GCCACCAAGCAGTIGCTGGGACTCCAGCCCATAAGCACTGTGTCCCCTCTTCATAGAGTCCTCCATTACAGTCAAGGCTAAGTCAAATGAAACTGAATTT	AAGAACTGAAGGACAGTACCCATCTATCTGCCCACGGCTTGAACTGGGGAACGACTGGGACTCT
5200	AGIITAITCGCACCAGGIIGGAAAAAGAGGGAATAGIGTTCAAATCACTGATGAAAATGGAIGACCCTTCTATTTCCAGGAATATTCCCTGGGC 11111111111111111111111111111
5100 5200 5300	AAIGGITIGCACAGCITICTIAAACAAAAAGGCATICAATCICTAGGIGIAAAAGGAAGAGAAIGICTCCIGGACCTAATIGCCACAATGCIGG 1111111111111111111111111111111111
5200	CAGTCTACAGACAGGATGGCTTCTGGAAACTTACACCAGAACTGGGACTTATATTAAATCTT

PHENOCIDE MICH GORDENTALL I

	_	_	_	_	_	_	_	_	_	_	_	_				0	0	0	0	0	0		0	_	_	00
8	≅	器	3	300	සු	8	寒	3	8	ස	ಜ	器	\$	8	ജ	8	8	₹	ਨ	褒	ଞ୍ଚ	籢	₹	ğ	ळ	689
			2				4	ച	9	9	7	1	œ	Ō	Ō	<u> </u>	=	÷	==	==		***	~	===	=-	# #
0	_	=			ت		σ.	-	_	_	==	_	_	_		9	=	_	-	0	-	S	S		•	انت غ
2	د	5			=		ومع		0	•	9	-	_	_	-	င		9	-		_	0	-	ပ	0	es •—
<u>~</u>	5	~		_		=			_	_	~	9	=	=	=	0		_	_	S		_	==		···	-
		~		-	-	œ.,	-			_	=		~	\subseteq	_		٥,		=	-	-	_	=			
_	-	ح		.ب	9	٠.	œ	\Rightarrow	-	~	-	_	_	-	_	_	=	_	S	_		5	_	=	_	
12	>=	0		_	-		<u></u>		~	_	-	_	9	0		æ	0	œ	_	0	S	-	S	-	-	س س
		_		_	҈	Ξ	ъ.		~	_	=	<u> </u>	_		=	_	_		_	S	S	ပ	_	-	_	C
	5	-	سبا		0	=	=	\equiv	=	=	_	_	_	_	=	_	=		_		=	_		<u>~</u>	ü	
	~	-	=	j.	حت	-	ت	-	S	=	-	•	~	-	=	=	0	æ	=	=	=	_	=	S	2	20
	~	-	-	—	ابت.	-	==	جب	-	တ	0	=	<u> </u>	ဗ	တ	==	_	-	_	_	·	_	-	~	_	
	5	_	_	~			-	9		_	0	-	9	···	=	_	_	~	•	=		`۔	-	ပ	S	
		0	حدا	€.		\tilde{L}		3	=	=	~	2	S	=	_	-	<u> </u>		_	-	<u> </u>	9	S	_	0	
حا		9				\sim	=	_	_	_		\subseteq	5	60	_	65	_		ç	~	S	-	_	_	0	***
0		Ç		-	-	==	-	_	•••	-	_	=	_	S		_	=	_	=	=		5	5	=	<u>~</u>	U
_		•••			منت	=:	œ	-		0	-	•	S	ပ	S	မ	_	=	•	_	>=	5	\equiv	=	Ξ	
==		=			بنب	===	-	***	_	•	S	==	S	0	=	دے	==	-		>		S			2	<0 c>
12		9	تدا	=	حب	~	_	-		_	=		9			_	_	9	<u>~</u>	~	_	-	-	S	-	==:==: >−
-			\Box	.	\equiv	_	=	≖	\equiv	=	9	$\overline{}$		_		_	=	_	_	=	_			=	_)
S	_	-	-		-	بن	-			0	_	_	\equiv	_	=	=	=	_	=	=	=	=	9	=	_	
	9		==	=	فيعو	-	-		S	~	_	0	S	\rightarrow	-	-	-	0	-	-	-	<u>a</u>	_		-	= 00 00
5		=	بدا	ح.	_	œ.	_	**	<u> </u>	_		0		···	_	=	-		-	S	-	_	=	<u>~</u>	မ	
5	چا	_		_	_	=		44	=				_	~	=	_	S	•••		_	<u> </u>	_	0	_	S	
==		-	ىت	144	\Box	:			=	_	_	=				œ	-	Ξ	~	~			_	==	0	
···	-	_	حه	الصغيثة	حا	-	<∽	⇔	_	_	ù	-	ح	-	-	œ	=	~		\exists	5	$\overline{\mathbf{s}}$	=	_	_	9 # \$
>~	-	_	-	-	-	•	₩.	==		Œ	0	-			_	>	ငာ	-	0	_	·••	9	S	_	-	
	\leq	<u></u>			=	ابنه	جت	-	0	9		~	-	0	=	_	S		—		_		0	S	u	دى. سى جە سى سى سى
	=	_	5		-	\equiv			0	_		_	=	٦.	_	=		_	_			S	-	_	S	- 60
0	_	0				0	ces.		_	==	_	Ξ	=	=	_	\equiv	<u>.</u>	=		· 62	<u>.</u>	_	~			
-	-	~	-	 1	===		-		=	-	-		-	-	S	-	_		200	=	_	0		=	=	
~	~	_	_	-	-	-		-	S	0	-	=	_	0			=	_	•	_	_	=	S	0	S	ت ت
×		=	_	≌:	•	===	==:			•••	~	9	·	_	_	S		•••	_	_	_	_	တ		···	
5	=	=	\equiv		\equiv	_	_			\equiv		=	=			=	=	_	~	S	>	S	9	===		
0			0	~	=	٠.	٠.	نن		_	S	ح.	_	_	-	5	_		_	=	=	_	<u>-</u>	_	S	<u> </u>
0	~	-	<u>~</u>	حب	=	ضع	*	وننية		_	_	_	S	-	တ		•••	_	_	=	Ġ	S	-	S	Š	
-	><	3	<u>~</u>		11010	œ		<u></u>	=	==	=	_	٠	-	-	=	_	ပ	_	_	9	_	_	_	0	_ = -
_				60				œ		9	=	\simeq	_	_	9	5	2			_	==	S	9	_		
~		ح	=	ers.	-	=		حد	_	_	9			\Box	5	\sim	=	_	_	=	=	_	2	~		
-		-	ç	=	امعد	~	بب	\Rightarrow	~	_	=	-	_	-	_	-		0	_	ے	=	S	-	=	=	
	2	=		=	5 1		=			0	_		-	•••	_	_	S	-	-	···	S	==	_	-	Δ.	
ات ا	=	\equiv	_				Ξ.		=	5	_	_	~	<u>ح</u>	=	_	Ξ	2	0	9	-		S	~	ح	دى: سن: بعد
	_	•	_		65	<u>ح</u>	<u></u>		_	=		_	=			=	~	_	_	_	=	=	_	9	S	نب حو بد
_	==	_	۔			ے		=		-		-	u	ü	0	=	-	_	=	~	_	_	=	5	ع	
으	=	_	==		1	_	-	ج	=		9	_	-	_	>==	S		••-	مما	=	_	۵_	0	<u>~</u>	<u></u>	
=	=		S			~	42		_	S	ح	_	S	==	-	ဌာ	=	9	=		=	-	~			
1		<u></u>		-		<u>. </u>		::::	=	S	_	=	=		9	=			S	_	9	_	۵.	۵_	S	1
_	. 5	$\overline{}$	_	9	\sim	ິ		~	ᆱ	-	=	=		=	_	_		_		_	Ξ	-	9		9	三 一
0	-1	-		0	=	ونت			انت	_	_	>=	S		~	_			=	_	\equiv	5	_	_	~	0 0 %
=	~	-	_	وننه	٠.	₩.	,	÷	إننة	-<	0	۹.	-	=	_		-	=	_	=		=	\overline{z}	_	ü	
=	=	S	ပ	Š	. بند	••••	وبسو	زبسيد	\Rightarrow			_	S	=		_	ဇာ	9	==	0		-	S	ے	<u> </u>	- 00
	لت	_	_			: نندا		יכים:		_	_	_	0	۵-	==	S	_	=		···	<u> </u>	_	_		_	- 3
												٠		•												
				•													-									

INTERNATIONAL SEARCH REPORT

International application No. PCT/US98/11348

4 07 400 00 00 00 00 00 00 00 00 00 00 00 00		
A. CLASSIFICATION OF SUBJECT MATTER		
IPC(6) :Please See Extra Sheet. US CL :Please See Extra Sheet.		
According to International Patent Classification (IPC) or to bo	th national classification and IPC	•
B. FIELDS SEARCHED		
Minimum documentation searched (classification system follow	wed by classification symbols)	
U.S. : 424/130.1, 139.1; 435/6, 7.1, 70.21, 320.1, 325; 53		
Documentation searched other than minimum documentation to	the extent that such documents are included	l in the fields asset at
	·	in the fields searched
Electronic data base consulted during the international search	(name of data base and, where practicable	, search terms used)
Please See Extra Sheet.	·	· · · · · · · · · · · · · · · · · · ·
C. DOCUMENTS CONSIDERED TO BE RELEVANT	<u>-</u>	
Category* Citation of document, with indication, where	appropriate, of the relevant passages	Relevant to claim No.
Y KICKHOEFER, V. et al. Multida	rug resistant cancer cell lines	1,2, 5-19
contain elevated levels of vaults. Pro	c. Amer. Assoc. Cancer Res.	1,2, 5 17
March 1997, page 252, abstract #169	94, especially last 4 lines.	
X SEBOLT-LEOPOLD, J. et al. Enh.	ancement of Alkylating Agent	36, 37
Activity in vitro by PD 128763, Y Synthetase Inhibitor, Int. I Padiation	a Potent Poly(ADP-ribose)	*******
- Juniouse minoriter. Int. J. Radiation	Oncology Biol. Phys., 1992,	32, 33
Vol. 22, pages 619-621, especially pa 1-3 and pages 620-621, "Discussion."	ige 620, "Results" and Figures	•
1-3 and pages 020-021, Discussion.		
4	,	
		.
X Further documents are listed in the continuation of Box (C. See patent family annex.	
Special categories of cited documents: A document defining the general state of the art which is not considered	"T" later document published after the inter date and not in conflict with the applie	national filing date or priority
to be of particular felevance	the principle or theory underlying the	invention
B* earlier document published on or after the international filing date	"X" document of particular relevance; the considered novel or cannot be considered novel or cannot be considered.	claimed invention cannot be
L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"Y" document of particular relevance: the	Claimed invention
document referring to an oral disclosure, use, exhibition or other means	considered to involve an inventive combined with one or more other such being obvious to a person skilled in the	documents such combination
P* document published prior to the international filing date but later than the priority date claimed	*&* document member of the same patent i	fam ily
Date of the actual completion of the international search	Date of mailing of the international sear	ch report
15 SEPTEMBER 1999	2 7 OCT 199	
ame and mailing address of the ISA/US Commissioner of Patents and Trademarks Box PCT	Authorized officer) PETER TUNG	/
Washington, D.C. 20231	PETER TUNG	la l
ucsimile No. (703) 305-3230	Telephone No. (703) 308-0196	_

INTERNATIONAL SEARCH REPORT

International application No. PCT/US98/11348

	1	
C (Continua	ion). DOCUMENTS CONSIDERED TO BE RELEVANT	
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No
A	KIM, K. et al. Tumor Suppressor Gene Expression during Normal and Pathologic Myocardial Growth. J. Biol. Chem., 09 September 1994, Vol. 269, No. 36, pages 22607-22613	1-37
A	KICKHOEFER, V. et al. Vaults Are Up-regulated in Multidrug- resistant Cancer Cell Lines. J. Biol. Chem., 10 April 1998, Vol. 273, No. 15, pages 8971-8974.	1-37
ζ , ·	Database GenBank, Accession No. D79999, Nomura, N., Human mRNA for KIAA0177 gene, partial cds., DDBJ/EMBL/, see entire document.	1-3, 5, 7, 11, 36 20-23
· ;		
*		
		·

Form PCT/ISA/210 (continuation of second sheet)(July 1992)*

INTERNATIONAL SEARCH REPORT

International application No. PCT/US98/11348

A. CLASSIFICATION OF SUBJECT MATTER: IPC (6):

A61K 39/395; C12Q 1/68; G01N 33/53; C12P 21/04, C12N 15/63, 15/85, 15/11; C07H 21/04

A. CLASSIFICATION OF SUBJECT MATTER: US CL :

424/130.1, 139.1; 435/6, 7.1, 70.21, 320.1, 325; 530/350; 536/23.1, 23.5, 24.5

B. FIELDS SEARCHED

Electronic data bases consulted (Name of data base and where practicable terms used):

APS, MEDLINE, CANCERLIT, CAPLUS, DISSABS, BIOSIS, EMBASE, WPIDS, GENBANK search terms: Leonard Rome, Valerie Kickhoefer, p193, p192, vault protein, lung resistance related protein, PD128763, 3-aminobenzamide

Form PCT/ISA/210 (extra sheet)(July 1992)*

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

☐ BLACK BORDERS
MAGE CUT OFF AT TOP, BOTTOM OR SIDES
FADED TEXT OR DRAWING
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
☐ LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
Потигр.

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

THIS PAGE BLANK (USPTO)